

The following claims are presented for examination:

1. (Original) A method comprising:
  - (a) receiving
    - (i) a command from a mobile telecommunications terminal, and
    - (ii) the geo-location of said mobile telecommunications terminal; and
  - (b) determining whether to execute said command based on said geo-location of said mobile telecommunications terminal.
2. (Currently amended) The method of claim 1 wherein ~~(b)~~ **the determination** is also based on the identity of the user of said mobile telecommunications terminal.
3. (Currently amended) The method of claim 1 wherein ~~(b)~~ **the determination** is also based on the calendrical time at said mobile telecommunications terminal.
4. (Currently amended) The method of claim 1 wherein ~~(b)~~ **the determination of whether to execute said command** comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.
5. (Original) The method of claim 4 wherein said perimeter is based on the nature of said command.
6. (Original) The method of claim 4 wherein said perimeter is based on an argument of said command.
7. (Original) The method of claim 4 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.
8. (Original) The method of claim 4 wherein said perimeter is based on the geo-location at which said value is stored.
9. (Original) The method of claim 4 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said descriptor.
10. (Original) The method of claim 4 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said value.
11. (Original) The method of claim 4 wherein said command comprises writing a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

**12.** (Original) The method of claim 4 wherein said command comprises transmitting a signal directed to another telecommunications terminal.

**13.** (Original) The method of claim 1 further comprising at least one of:

(c) determining, based on said geo-location of said mobile telecommunications terminal, whether to encode a first product of said command; and

(d) determining, based on said geo-location of said mobile telecommunications terminal, whether to transmit to said mobile telecommunications terminal a second product of said command.

**14.** (Original) A method comprising:

(a) receiving

(i) a request from a mobile telecommunications terminal to access content,  
and

(ii) the geo-location of said mobile telecommunications terminal; and

(b) determining a version of said content to transmit to said mobile telecommunications terminal based on said geo-location of said mobile telecommunications terminal.

**15.** (Currently amended) The method of claim 14 wherein ~~(b)~~ **the determination** is also based on the identity of the user of said mobile telecommunications terminal.

**16.** (Currently amended) The method of claim 14 wherein ~~(b)~~ **the determination** is also based on the calendrical time at said mobile telecommunications terminal.

**17.** (Currently amended) The method of claim 14 wherein ~~(b)~~ **the determination of said version of said content** comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

**18.** (Original) The method of claim 17 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

**19.** (Original) The method of claim 17 wherein said perimeter is based on said content.

**20.** (Original) The method of claim 17 wherein said perimeter is based on the geo-location at which said content is stored.

**21.** (Original) The method of claim 14 wherein a first version of said content is associated with a first medium, and wherein a second version of said content is associated with a second medium.

**22.** (Original) The method of claim 14 wherein a first version of said content is associated with a first authorization category, and wherein a second version of said content is associated with a second authorization category.

**23.** (Currently amended) A method comprising:

(a) transmitting from a mobile telecommunications terminal a command and the geo-location of said mobile telecommunications terminal; and

(b) receiving [,] a response to said command that is based on said geo-location of said mobile telecommunications terminal, wherein said response indicates whether said command was executed or refused. one of:

~~(i) an indication that said command was refused, and~~

~~(ii) an indication that said command was executed.~~

**23.** (Currently amended) A method comprising:

(a) transmitting from a mobile telecommunications terminal a command and the geo-location of said mobile telecommunications terminal; and

(b) receiving [,] a response to said command that indicates whether said command was executed or refused; [,]

wherein whether said command was executed or refused is based on said geo-location of said mobile telecommunications terminal. [,] ~~one of:~~

~~(i) an indication that said command was refused, and~~

~~(ii) an indication that said command was executed.~~

**24.** (Currently amended) The method of claim 23 wherein ~~(ii)~~ said response:

(i) indicates that said command was executed and,

(ii) comprises includes a product of said command when said command is transmitted from a first geo-location, but not and wherein (ii) excludes said product of said command when said command is transmitted from a second geo-location.

**25.** (Currently amended) The method of claim 23 wherein ~~(ii)~~ said response indicates that said command was executed and comprises: includes

**(i)** a product of said command when said command is transmitted from a first geo-location, and **wherein**

**(ii)** ~~includes~~ an encoded version of said product of said command when said command is transmitted from a second geo-location.

**26.** (Currently amended) The method of claim 23 wherein ~~(b)~~ **said response** is also based on the identity of the user of said mobile telecommunications terminal.

**27.** (Currently amended) The method of claim 23 wherein ~~(b)~~ **said response** is also based on the calendrical time at said mobile telecommunications terminal.

**28.** (Currently amended) The method of claim 23 wherein ~~(b)~~ **said response** is based on whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

**29.** (Original) The method of claim 28 wherein said perimeter is based on the nature of said command.

**30.** (Original) The method of claim 28 wherein said perimeter is based on an argument of said command.

**31.** (Original) The method of claim 28 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

**32.** (Original) The method of claim 28 wherein said perimeter is based on the geo-location at which said value is stored.

**33.** (Original) The method of claim 28 wherein said command comprises accessing a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

**34.** (Original) The method of claim 28 wherein said command comprises accessing a value associated with a descriptor, and wherein said perimeter is based on said value.

**35.** (Original) The method of claim 28 wherein said command comprises transmitting a signal directed to another telecommunications terminal.

**36.** (Original) A method comprising:

(a) transmitting from a mobile telecommunications terminal

(i) a request to access content, and

(ii) the geo-location of said mobile telecommunications terminal; and

(b) receiving a version of said content that is based on said geo-location of said mobile telecommunications terminal.

**37.** (Currently amended) The method of claim 36 wherein ~~(b)~~ said version is also based on the identity of the user of said mobile telecommunications terminal.

**38.** (Currently amended) The method of claim 36 wherein ~~(b)~~ said version is also based on the calendrical time at said mobile telecommunications terminal.

**39.** (Currently amended) The method of claim 36 wherein ~~(b)~~ said version is based on whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

**40.** (Original) The method of claim 39 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

**41.** (Original) The method of claim 39 wherein said perimeter is based on said content.

**42.** (Original) The method of claim 39 wherein said perimeter is based on the geo-location at which said content is stored.

**43.** (Original) The method of claim 36 wherein a first version of said content is associated with a first medium, and wherein a second version of said content is associated with a second medium.

**44.** (Original) The method of claim 36 wherein a first version of said content is associated with a first authorization category, and wherein a second version of said content is associated with a second authorization category.

**45.** (Original) A method comprising:

(a) receiving at a mobile telecommunications terminal

(i) a command issued by the user of said mobile telecommunications terminal, and

(ii) the geo-location of said mobile telecommunications terminal; and

(b) determining whether to execute said command based on the geo-location of said mobile telecommunications terminal.

**46.** (Currently amended) The method of claim 45 wherein ~~(b)~~ the determination is also based on the identity of the user of said mobile telecommunications terminal.

**47.** (Currently amended) The method of claim 45 wherein ~~(b)~~ **the determination** is also based on the calendrical time at said mobile telecommunications terminal.

**48.** (Currently amended) The method of claim 45 wherein ~~(b)~~ **the determination of whether to execute said command** comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

**49.** (Original) The method of claim 48 wherein said perimeter is based on the nature of said command.

**50.** (Original) The method of claim 48 wherein said perimeter is based on an argument of said command.

**51.** (Original) The method of claim 48 wherein said perimeter is based on the identity of the user of said mobile telecommunications terminal.

**52.** (Original) The method of claim 48 wherein said perimeter is based on the geo-location at which said value is stored.

**53.** (Original) The method of claim 48 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

**54.** (Original) The method of claim 48 wherein said command comprises reading a value associated with a descriptor, and wherein said perimeter is based on said value.

**55.** (Original) The method of claim 48 wherein said command comprises writing a value associated with a descriptor, and wherein said perimeter is based on said descriptor.

**56.** (Original) The method of claim 48 wherein said command comprises changing a setting of said mobile telecommunications terminal.

**57.** (Original) The method of claim 48 wherein said command comprises capturing at least one of an image and an acoustic signal.

**58.** (Currently amended) A method comprising:

(a) receiving at a mobile telecommunications terminal

(i) a request ~~to access content issued~~ by the user of said mobile telecommunications terminal **to access content**, and

(ii) the geo-location of said mobile telecommunications terminal; and

(b) determining a version of said content to output based on said geo-location of said mobile telecommunications terminal **[,]** .

**59.** (Currently amended) The method of claim 58 wherein ~~(b)~~ said version is also based on the identity of the user of said mobile telecommunications terminal.

**60.** (Currently amended) The method of claim 58 wherein ~~(b)~~ said version is also based on the calendrical time at said mobile telecommunications terminal.

**61.** (Currently amended) The method of claim 58 wherein ~~(b)~~ the determination of said version comprises determining whether said geo-location of said mobile telecommunications terminal is inside a perimeter.

**62.** (Original) The method of claim 58 wherein said perimeter is based on said content.

**63.** (Original) The method of claim 58 wherein said perimeter is based on the geo-location at which said content is stored.